


This article was downloaded by: [University of Tokyo]

On: 11 November 2013, At: 04:04

Publisher: Taylor & Francis

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



## International Journal of Food Properties

Publication details, including instructions for authors and subscription information:

<http://www.tandfonline.com/loi/ljfp20>

### Mineral Composition and Health Functionality of Zamzam Water: A Review

Nauman Khalid <sup>a</sup>, Asif Ahmad <sup>b</sup>, Sumera Khalid <sup>c</sup>, Anwaar Ahmed <sup>b</sup> & Muhammad Irfan <sup>d</sup>

<sup>a</sup> Department of Global Agricultural Sciences, Graduate School of Agricultural and Life Sciences, The University of Tokyo, Yayoi, Bunkyo-ku, Tokyo, Japan

<sup>b</sup> Department of Food Technology, Pir Mehr Ali Shah Arid Agriculture University, Rawalpindi, Pakistan

<sup>c</sup> Department of Civil Engineering, University of Engineering and Technology, Taxila, Pakistan

<sup>d</sup> Department of Civil Engineering, Graduate School of Engineering, The University of Tokyo, Japan

Accepted author version posted online: 24 Jun 2013. Published online: 08 Nov 2013.

To cite this article: Nauman Khalid, Asif Ahmad, Sumera Khalid, Anwaar Ahmed & Muhammad Irfan (2014) Mineral Composition and Health Functionality of Zamzam Water: A Review, International Journal of Food Properties, 17:3, 661-677, DOI: [10.1080/10942912.2012.660721](https://doi.org/10.1080/10942912.2012.660721)

To link to this article: <http://dx.doi.org/10.1080/10942912.2012.660721>

PLEASE SCROLL DOWN FOR ARTICLE

Taylor & Francis makes every effort to ensure the accuracy of all the information (the "Content") contained in the publications on our platform. However, Taylor & Francis, our agents, and our licensors make no representations or warranties whatsoever as to the accuracy, completeness, or suitability for any purpose of the Content. Any opinions and views expressed in this publication are the opinions and views of the authors, and are not the views of or endorsed by Taylor & Francis. The accuracy of the Content should not be relied upon and should be independently verified with primary sources of information. Taylor and Francis shall not be liable for any losses, actions, claims, proceedings, demands, costs, expenses, damages, and other liabilities whatsoever or howsoever caused arising directly or indirectly in connection with, in relation to or arising out of the use of the Content.

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan, sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden. Terms & Conditions of access and use can be found at <http://www.tandfonline.com/page/terms-and-conditions>

## MINERAL COMPOSITION AND HEALTH FUNCTIONALITY OF ZAMZAM WATER: A REVIEW

Nauman Khalid<sup>1</sup>, Asif Ahmad<sup>2</sup>, Sumera Khalid<sup>3</sup>, Anwaar Ahmed<sup>2</sup>, and Muhammad Irfan<sup>4</sup>

<sup>1</sup>Department of Global Agricultural Sciences, Graduate School of Agricultural and Life Sciences, The University of Tokyo, Yayoi, Bunkyo-ku, Tokyo, Japan

<sup>2</sup>Department of Food Technology, Pir Mehr Ali Shah Arid Agriculture University, Rawalpindi, Pakistan

<sup>3</sup>Department of Civil Engineering, University of Engineering and Technology, Taxila, Pakistan

<sup>4</sup>Department of Civil Engineering, Graduate School of Engineering, The University of Tokyo, Japan

*This article reviews the mineral composition and potential health benefits of Zamzam water. Zamzam water is different from natural water in terms of minerals and radiological features. The miracle of Zamzam is its continuous flow since 2000 BC. The appearance of the Zamzam well led to the foundation of the settlement of the Makah valley. Zamzam water quenches the thirst and shows potential to cure numerous diseases. Different studies have been conducted to explore the mythical qualities of this water; still there is a need to conduct widespread research and to explore its healthcare benefits, mineral profile, and technological perspectives. Recent animal studies showed that Zamzam was effective against cancer, as it thwarts the development of tumors.*

**Keywords:** *Zamzam water, Mineral composition, Radiological features, Health benefits, Agriculture.*

### INTRODUCTION

Water is a basic need and is essential in carrying out various physiological functions in the human body.<sup>[1]</sup> Humans can survive without food for a month, but they can survive without water for only seven days.<sup>[2]</sup> Our planet has huge reservoirs of water, but fresh drinking water is scarce. Only 2.8% of the total water on earth is freshwater; the rest is saltwater that is hard to use. This corresponds to about 12.5–14 billion cubic meters of water that is available annually,<sup>[2]</sup> for human, animal, and agricultural purposes. For agricultural purposes, it takes 3000 to 5000 liters of water to grow 1 kg of rice.<sup>[1]</sup> Similarly, it takes 1000 tons of water to grow 1 ton of wheat.<sup>[3]</sup> This is interesting to note, when water-scarce countries, such as those in the Middle East, import grains. They use not only the grains

Received 27 September 2011; accepted 20 January 2012.

Address correspondence to Nauman Khalid, Department of Global Agricultural Sciences, Graduate School of Agricultural and Life Sciences, The University of Tokyo, 1-1-1 Yayoi, Bunkyo-ku, Tokyo 113-8657, Japan. E-mail: nauman\_khalid120@yahoo.com



Figure 1 Location of Zamzam well.<sup>[4]</sup>

but also the water required to grow the grains, and therefore, need to use water resources efficiently.<sup>[2]</sup>

Although the world's water sources are limited, and existing sources are depleting rapidly, there is a source of water called Zamzam that is providing water to billions of people. For Muslims, it is holy water, which has quenched people's thirst since the dawn of human history. This source of water is located in the Mecca area, one of the most sacred cities for Muslims. This city is located in the western part of Saudi Arabia about 70 km south of the city of Jeddah on the coast of the Red Sea. Geographically it can be located at latitudes  $21^{\circ} 26' 48''$  N, longitude  $39^{\circ} 53' 46''$  E, with an elevation of about 1399 ft. above mean sea level (Fig. 1).<sup>[4]</sup>

## BACKGROUND


Brief anecdotes that mention Zamzam are described in holy books of various religions, including the Tawrah (Old Testament/Torah), the Bible, and the Quran. As narrated in these holy books, Zamzam is the holy water and is termed as a great gift from God (referred to as Allah in the Quran). It is allegedly an offshoot from a holy spring (currently present in the form of a well) in the barren desert surrounding Mecca. Islamic history presents a detailed account of it in the following context. Long ago, holy Prophet Ibrahim (Abraham) with his wife Hajara and baby Ismail Peace came to Mecca. To fulfill God's will, Prophet Ibrahim returned home, leaving Hajara and the infant in the desert. Soon afterward, the water that Ibrahim left with them ran out, and Hajara was no longer able to breast-feed her child. Hajara became thirsty, and so did her son, who started crying and became unsettled due to extreme thirst. Hajara walked impatiently seven times between the hills of Al-Safa and Al-Marwa searching for water. After the seventh round, she heard the voice of the Angel Jabrail, who led her to a place where he kicked the earth, and water emerged on the surface. She gathered water in her hands and collected it into a container; the water bubbled up again each time she scooped.<sup>[6]</sup> Since water was flowing at a high

rate at that time, the angel thus uttered the word “Zamzam,” which means “slow down.” Many other names have been given to the water of Zamzam; among them are “Zammam,” “Zumazim,” “Shubaa,” “Hazmat al-Malik,” and “Rakdat Jibril.”<sup>[7]</sup> Some scholars mention 11 other names of Zamzam; these include “The Sealed,” “That which is Clung to,” “The Watering,” “The Quenching,” “The Impulse of Jibril,” “The Kick of Jibril,” “The Repletion,” “The Healer of Sickness,” “The Satisfier of Hunger,” and “The Well of Abd al-Muttalib.”<sup>[5,6]</sup>

### Structure and Hydrogeology of the Well

The Zamzam well is hand-excavated and is about 30.5 m deep, with an internal diameter ranging from 1.08 to 2.66 m. In hydrogeologic terms, the well lies within the wadi Ibrahim, which runs through the Holy City of Mecca and taps ground water from the wadi (valley) alluvium, to a much lesser extent, and from the underlying fresh bedrock (Fig. 2). The well is now housed in a basement room, protected by glass panels that allow a clear view of the well. Electric pumps are used to draw water from the well, replacing the previous ropes and buckets. No visitors except dignitaries are allowed to enter the well room and its surroundings. Outside the room, there exists a service area, where cold Zamzam water fountains and dispensing containers are provided for drinking purposes. Recently, the Al-Haram Tawaf area has been extended to cover the entrance to this area, and it is no longer accessible to pilgrims. Instead, cold Zamzam water fountains and dispensing containers are now placed at the periphery of Tawaf area.<sup>[7]</sup>

The upper 13.5 m of the well is excavated in the sandy alluvium of the wadi Ibrahim and the lower 17 m in the underlying diorite bedrock. In between sandy alluvium and diorite bed rock, there is a thinner layer (0.5 m) of permeable weathered rock. Most of the alluvial section of the well is lined with stone masonry, except for the uppermost 1 m, which has a reinforced concrete collar. The weathered rock section is lined with stone and provides the main water entry into the well (Fig. 2).



**Figure 2** Shape and dimension of Zamzam well. (Color figure available online.)

## Physico-Chemical Analysis of Zamzam Water

Different studies have been conducted to determine the physical and chemical parameters of Zamzam water. The first analytical study of the Zamzam well was carried out by an Egyptian commission to Hijaz in 1935.<sup>[8]</sup> Later, two independent detailed analyses were performed in 1971 by the Ministry of Agriculture Riyadh (Saudi Arabia) and its consultants.<sup>[9]</sup> The comparison of the results from the Egyptian Commission study and Ministry of Agriculture study are presented in Table 1. These studies opened up new avenues of research for international researchers, and the first international publication on the chemical analysis of Zamzam water was reported in 1976 by the American Water Resource Association,<sup>[9]</sup> and then a second report was issued by Abu-Samn<sup>[10]</sup> in 1982. Abu-Samn studied water from three different wells (the Zamzam well, the Dawoodiyah well, and the Musfalah well) located adjacent to the Zamzam well. The distance between Zamzam and Dawoodiyah was about 900 m, whereas Zamzam and Musfalah were 2800 m apart. His research led to the conclusion of higher total dissolved solids (TDS) in nearby water sources as compared to the Zamzam water (Table 2).

## Mineral Profile of Zamzam Water

Advanced techniques for multi-elemental and hydrochemical study of Zamzam water were carried out by Naeem and Alsanussi.<sup>[11]</sup> Researchers employed neutron activation, inductivity coupled plasma, and other available classical techniques to analyze the water samples. These techniques revealed 34 elements in Zamzam water with calcium (Ca), magnesium (Mg), sodium (Na), and chloride (Cl) in higher concentrations than natural water. The elements antimony (Sb), beryllium (Be), bismuth (Bi), bromine (Br), cobalt (Co), iodine (I), and molybdenum (Mo) were less than 0.01 ppm. Only traces of chromium (Cr), manganese (Mn), and titanium (Ti) were detected in Zamzam water. Hydrochemical study of Zamzam water indicated that it is a sodium chloride water of meteoritic origin. The amount of four toxic elements, arsenic (As), cadmium (Cd), lead (Pb), and selenium (Se), was much below the danger level for human consumption. Many scientists suggest that certain peculiarities make Zamzam's water healthier, such as a higher level of calcium.<sup>[13]</sup>

**Table 1** Comparison of water of Zamzam well.<sup>[8,9,45]</sup>

Author	Date	pH	TDS (mg/L)	CO <sub>3</sub> (mg/L)	SO <sub>4</sub> (mg/L)	Cl <sup>1-</sup> (mg/L)
Egyptian Commission	1935	—	4500	1110	528	786
Watson	April, 1971	7.9	2278	—	515	786
Watson	September, 1971	8.3	1845	320	348	180
Abdul-Manan	October, 1975	7	2500	770	350	485

**Table 2** Comparison of water form three different wells.<sup>[10]</sup>

Well	pH	TDS (mg/L)	Cl <sup>-</sup> (mg/L)	CO <sub>3</sub> <sup>-2</sup> (mg/L)	SO <sub>4</sub> <sup>+2</sup> (mg/L)	S <sup>-2</sup> (mg/L)	NO <sub>3</sub> <sup>-2</sup> (mg/L)	COD as O <sub>2</sub> (mg/L)	BOD (mg/L)
Zamzam	6.9	1620	234	365	190	-ve	-ve	53	5.8
Dawoodiyah	7.2	2000	190	450	300	-ve	+ve	—	—
Masfalah	7.8	2050	140	500	350	+ve	+ve	—	—

COD: chemical oxygen demand; BOD: biological oxygen demand.

Elevated concentrations of arsenic (As) metal were reported in the print and audio visual media in the Zamzam water, especially in the bottled Zamzam water available in some European countries.<sup>[13]</sup> However, repeated analysis of the Zamzam water by Alfadul and Khan<sup>[13]</sup> verified that arsenic (As) levels ranged between 9.68 and 10.75  $\mu\text{g/L}$ , which lies within the admissible range set by different regulatory agencies and also in agreement with Saudi Arabian Standard Organization (SASO) standards for drinking water.

### Chemistry of Cations and Anions

The solute in Zamzam water is important from a health point of view and is expressed in terms of cations and anions. Calcium is the major divalent cation and often complexed with carbonates and bicarbonates in Zamzam water (Fig. 3 and Table 3).<sup>[4]</sup> The distribution of other major cations and anions present in the form of soluble salt includes magnesium bicarbonate, magnesium sulphate, sodium, and potassium chloride. The long residence time with aquifer materials of basic lava origin (basalt) can account for the origin of the ferro-magnesium minerals of the calcium and magnesium.<sup>[4]</sup> The enrichment of Zamzam water with calcium reflects its asserted ability to satisfy both thirst and hunger, while the slightly enriched values of potassium and sodium reflect its alleged ability to affect the human nervous system.<sup>[15]</sup> Most of the cations and anions in the Zamzam water are relatively




Figure 3 Hypothetical salt assemblage of Zamzam water.<sup>[4]</sup>

Table 3 Major and minor minerals in Zamzam water in increasing to decreasing order.<sup>[4]</sup>

Major minerals	Concentration	Minor minerals	Concentration
TDS	1011 mg/L	Sr (strontium)	14,472 ppt
HCO <sub>3</sub> <sup>-</sup>	285 mg/L	Mo (molybdenum)	2708 ppt
SO <sub>4</sub> <sup>-2</sup>	187 mg/L	Rb (rubidium)	1311 ppt
Cl <sup>-1</sup>	147.50 mg/L	Zn (zinc)	1164 ppt
Na <sup>+1</sup>	121.90 mg/L	Ni (nickel)	882 ppt
Ca <sup>+2</sup>	114 mg/L	Ba (barium)	650 ppt
		Mn (manganese)	361 ppt

**Table 4** National and international standards related to bottled water quality.

Parameters	Unit	WHO (2006) <sup>[48]</sup>	FDA (2008) <sup>[47]</sup>	SASO (1994) <sup>[46]</sup>	IBWA (2008) <sup>[49]</sup>	US EPA (2011) <sup>[50]</sup>	Zamzam water <sup>[15]</sup>	Zamzam water <sup>[13]</sup>
pH	—	6.5–9.5	—	6.5–8.5	6.5–8.5	6.5–8.5	7.73	7.6
TDS	mg/L	1000	500	100–700	500	500	1000	798
Hardness	mg/L as CaCO <sub>3</sub>	500	—	300	—	—	300	309.70
Ca	mg/L	—	—	75	—	—	220	93.75
Mg	mg/L	—	—	30	—	—	80	18.90
Na	mg/L	—	—	—	—	—	—	130.50
K	mg/L	—	—	—	—	—	—	44.40
Cl	mg/L	250	250	250	250	250	260	164
SO <sub>4</sub>	mg/L	—	250	250	250	250	180	124.30
NO <sub>3</sub>	mg/L	50	44	45	44	45	31.60	131.52
F	mg/L	1.5	0.8–2.4	0.6–1.0	0.8–2.4	4	0.59	—
Al	μg/L	0.2	—	—	—	200	—	—
As	μg/L	10	10	50	10	10	—	—
Ba	μg/L	—	—	1000	—	2000	—	—
Be	μg/L	—	—	—	—	4	—	—
Cd	μg/L	3	5	—	5	5	—	—
Co	μg/L	—	—	—	—	—	—	—
Cr	μg/L	50	100	50	50	100	—	—
Cu	μg/L	1000	1000	1000	1000	1300	40	—
Fe	μg/L	300	300	300	300	300	60	—
Mn	μg/L	100	50	—	50	50	—	—
Mo	μg/L	70	—	—	—	—	—	—
Ni	μg/L	70	100	—	100	—	—	—
Se	μg/L	10	50	—	10	50	—	—
Sr	μg/L	—	—	—	—	—	—	—
Pb	μg/L	50	5	50	5	15	—	—
Zn	μg/L	5000	5000	5000	5000	5000	—	—

SASO = Saudi Arabian Standard Organization; FDA = US Food and Drug Association; WHO = World Health Organization; IBWA = International Bottled Water Association; USEPA = US Environmental Protection Agency.

higher in concentrations, but all of them are in agreement with the maximum contaminant limits set by different regulatory agencies (Table 4)—except nitrates, which were found exceeding the prescribed limits.<sup>[13]</sup>

### Comparison with Natural Drinking Water and Bottled Water

Cations and anions analysis of normal and Zamzam water samples by Saad et al.<sup>[14]</sup> using capillary ion technique revealed higher levels of both cations and anions in Zamzam samples as compared to other water samples. It is evident that quality parameters and limits for Zamzam water are quite different in comparison to tap water and bottled water. The supposed health-promoting value of Zamzam may be attributable to these balanced levels of mineral content (Fig. 4). A comparison of Zamzam water (Table 5), available bottled drinking water, and distilled water was also carried out by El-Zaiat.<sup>[15]</sup> The study led to the conclusion that Zamzam water has a rich essential mineral profile; TDS were in the acceptable range (ranging up to 1000 mg/L). The Zamzam water also has higher electrical conductivity (1390 μS/cm) as compared with bottled water (740 μS/cm).




Figure 4 Electropherogram of Zamzam water (reprinted from Saad et al.<sup>[43]</sup> with permission from Elsevier).

Table 5 Comparison of Zamzam, bottled water, and distilled water.<sup>[15]</sup>

Parameter	Zamzam water	Bottled drinking water	Distilled water
Appearance	Clear	Clear	Clear
Odor	Acceptable	Acceptable	Acceptable
Turbidity	Nil	Nil	Nil
Suspended solids	Nil	Nil	Nil
Total dissolved solids	1000	452	—
pH	7.73	7.21	6.85
Conductivity ( $\mu\text{S}/\text{cm}$ )	1390	740	0.5
Residual chlorine	Nil	0.45	Nil
Total hardness	300	228	0.2
Calcium	220	136	0.1
Magnesium	80	92	0.1
Alkalinity ( $\text{CO}_3$ ) <sup>-2</sup>	Nil	Nil	Nil
Alkalinity ( $\text{HCO}_3$ ) <sup>-2</sup>	110	108	0.2
Chlorides	260	100	0.1
Fluoride	0.59	0.32	0.1
Sulfates	180	—	Nil
Nitrates	31.6	—	10
Phosphate	0.15	0.13	—
Ammonia	0.11	0.06	Nil
Iron	0.06	0.05	Nil
Copper	0.04	—	—
Silica	37.6	11.3	—

Results in mg/L, NTU (nephelometric turbidity units).

### Isotopic Composition of Zamzam Water

The isotopic composition of Zamzam water was carried out by Al-Gamal.<sup>[4]</sup> The isotopic composition was expressed as O-18 and H-2. The cross plot of O-18 versus H-2 is shown in Fig. 5.<sup>[3]</sup> The low content of O-18 ( $-10.04\%$ ) and H-2 ( $-90.36\%$ ) are attributed to paleoclimatic recharge. The examination of this figure reveals that Zamzam is even more




Figure 5 Cross plot of  $\delta^{18}\text{O}$  versus  $\delta^2\text{H}$  for Zamzam water.<sup>[4]</sup>

exhausted in delta values if compared with some of the selected trans-boundary aquifers containing palaeowaters all over the world.<sup>[4]</sup> Palaeowaters are supposed to be depleted in O-18 with respect to recent water, if precipitated under more humid and cooler periods. The interpretation is that recharge occurred during the last Holocene humid period, and that the aquifer is now discharging ancient groundwater resources. This is in agreement with the observed decrease in the Zamzam piezometric level (while Zamzam at the time of Prophet Ismail was flowing, it is now 30 m from the ground surface). The y-intercept value of 10 in the global meteoric water line (GMWL) equation is called the deuterium excess. The deuterium excess for Zamzam water was fitted to a slope of eight. The deuterium excess is a function of the relative humidity during evaporation and could vary from 4 to 24 for a relative humidity variation range of 60 to 90% and temperature of condensation range of 0 to 20°C.<sup>[16]</sup> The deuterium excess for Zamzam water is 10, reflecting that the origin of Zamzam rain was different from that of the other palaeowaters. It is difficult to say whether this difference is due to global variations in the origins and atmospheric circulations of air masses during the period of recharge—or an “instantaneous” situation corresponding to exceptional events of precipitation (and recharge). Ayun Musa palaeowater on the eastern side of the Gulf of Suez, though showing a difference in salinity, reflects more or less the same isotopic signature with that of Zamzam ( $\text{H-2} = -85$ ,  $\text{O-18} = -11$ ). Ayun Musa water aging, calculated on the basis of C-14, ranges between 25,000 to more than 40,000 before present (BP).<sup>[17]</sup> On the basis of similarity in isotopic signature, Zamzam could have the same age range. The following general palaeoclimatic picture was recently proposed for the late Quaternary of both hemispheres, for latitudes of up to about 25° (Zamzam is at a latitude of 21°): 40,000–20,000 BP, heavy rainfall and high lake levels; 17,000–12,000 BP: inter-tropical aridity, dune building, and lake desiccation; 11,000–5000 BP: high precipitation and very high lake levels, which are most probably the prevailing climatic conditions during the first discovery of Zamzam.<sup>[4]</sup>

### Radiological Features of Zamzam Water

Humans are exposed naturally to ionizing radiation from a number of sources, which include cosmic rays and natural radionuclides in air, food, and drinking water.<sup>[18,19]</sup>

**Table 6** Radiological characteristics of Zamzam water<sup>[4]</sup> in comparison with Canadian and WHO standards.

Parameters	Zamzam water	Canadian water standards (MAC)	WHO
U (uranium)	1.6 Bq/L	0.02 mg/L	0.1 Bq/L
Th (thorium)	1.2 Bq/L	—	0.1 Bq/L
K-40 (potassium)	3 Bq/L	—	0.1 Bq/L
Cs-137 (cesium)	0.7 Bq/L	10 Bq/L	1 Bq/L

MAC: maximum acceptable concentration.

Underground water often has high levels of naturally occurring radionuclides, such as those of the uranium, thorium, and radium decay chains.<sup>[18]</sup> Well water can be a significant source of <sup>222</sup>Rn in room air.<sup>[19]</sup> The US Environmental Protection Agency has proposed a maximum concentration level (MCL) of 11 Bq/L for radon in drinking water. This proposed MCL is based primarily on the inhalation risk from the distribution of waterborne <sup>222</sup>Rn.<sup>[20]</sup> Another radionuclide, radium, with chemical properties similar to calcium, is one of the major sources of the radioactivity found in water and food. Because of the long half-life of <sup>226</sup>Ra ( $T_{1/2} = 1620$  y), it can accumulate in the human body for a long time. Therefore, the harmfulness of <sup>226</sup>Ra dissolved in water is said to be about 40 times that of <sup>90</sup>Sr.<sup>[21]</sup> According to the US National Committee on Radiation Protection,<sup>[22]</sup> the maximum permissible concentration of <sup>226</sup>Ra in drinking water, 0.148 Bq/L, is less than that of any other radionuclides. The radiological characteristics of Zamzam water is expressed as <sup>238</sup>U (uranium) series (<sup>226</sup>Ra and <sup>214</sup>Bi), <sup>232</sup>Th (thorium) series (<sup>228</sup>Ra (radium), <sup>228</sup>Ac (actinium), and (titanium) <sup>208</sup>Ti) and also in accumulation to <sup>40</sup>K (potassium) and <sup>137</sup>Cs (cesium)<sup>[4]</sup> (Table 6).

### Optical Profile in Comparison with Natural Water

The Abbe number of Zamzam water was about 2.4 times higher than that of bottled water; similarly, the single oscillator constants for Zamzam water was 1.5 times higher than natural water.<sup>[15]</sup> The refractive indices of Zamzam water were measured at six different wavelengths by El-Zaiat.<sup>[15]</sup> He concluded that the dispersion values of optical parameters (at  $\lambda = 550$  nm) for Zamzam water were smaller than those of bottled and distilled waters by 0.4 times. These different optical properties of Zamzam water may be due to the chemical structures of rocks around the Zamzam well. The detail overviews of optical parameters were presented in Table 7.<sup>[15]</sup>

### Crystallography and Nanotechnological Perspectives of Zamzam Water

Radin et al.<sup>[23]</sup> claimed that the human consciousness has an effect on the molecular structure of water. Emoto's hypothesis has evolved over the years of his research. Emoto claimed that high-quality water forms beautiful and intricate crystals, while low-quality water has difficulty forming crystals. According to Emoto, an ice crystal of distilled water exhibits a basic hexagonal structure with no intricate branching, and positive changes to water crystals can be achieved through prayer, music, or by attaching written words to a container of water. Emoto published several volumes of a work titled *Messages from Water*, which contains photographs of water crystals next to essays and words of intent.

**Table 7** Optical properties of Zamzam water in comparison with bottled water.<sup>[15]</sup>

Parameters	Dispersion for Zamzam water	Dispersion for bottled water
Refractive index	$-1.2954 \times 10^{-5}$	$-3.1907 \times 10^{-5}$
Group index	$-3.8863 \times 10^{-5}$	$-9.5721 \times 10^{-5}$
Permittivity	$-3.4492 \times 10^{-5}$	$-8.5059 \times 10^{-5}$
Specific refraction	$-3.6573 \times 10^{-5}$	$-9.0089 \times 10^{-5}$
Polarizability	$-8.7312 \times 10^{-6}$	$-2.1507 \times 10^{-5}$
Reflectance	$-1.3549 \times 10^{-6}$	$-3.3464 \times 10^{-6}$
Transmittance	$3.1587 \times 10^{-6}$	$7.807 \times 10^{-6}$
Abbe number	112.41	46.28

Recently, quantum biophysical semeiotics experiments have offered new evidence about the existence of a connection between water memory and healing information, exactly following Emoto's interesting hypothesis about the changes to water crystals achieved by music and songs.<sup>[24,25]</sup> Emoto passed different sound frequencies through Zamzam water and observed variable crystal behaviors based on crystallography techniques among Zamzam water and water samples from other parts of the world. Interestingly, he noticed that this water had a special interaction and reaction when the words of Allah in the Quran were recited to it. Emoto brought a few drops of Zamzam water and recited the "Bismillah" (in the name of Allah, the Beneficent, and Most Merciful) in Arabic and noticed a unique arrangement of the water particles in shape. He observed the water particles taking distinct shape in comparison with other water particles shapes taken from other parts of the world. Emoto was not able to crystallize Zamzam water even after diluting Zamzam by 1000 times. However, he got a uniquely shaped crystal after freezing.<sup>[26]</sup> Two crystals were formed (Fig. 6), one on top of the other, and assumed a unique

**Figure 6** Zamzam water crystal.<sup>[26]</sup> (Color figure available online.)

form. He coined the term “Nano” for Zamzam water,<sup>[26]</sup> and further research was carried out by Arida et al.<sup>[27]</sup> The study made a new thin-film silver micro-sensor by utilizing Zamzam water, tap water, and underground water. Their results showed higher recovery (191.4 ppm) of silver in Zamzam, followed by underground water (166.6 ppm), and tap water (92.2 ppm).

### **Healing Properties of Zamzam Water**

Zamzam is unique in its natural characteristics because it is “hard carbonated type water” in nature. It has been proven that there is no microbial growth in the water from the Zamzam well. The potential healing properties of Zamzam water are described next.

### **Zamzam Water and Aquaporin (AQP) Stimulation**

Zamzam water has the ability to stimulate AQPs;<sup>[28]</sup> these are water channels that form across a membrane; they play critical roles in controlling the water content of cells. These channels are widely distributed in all kingdoms of life, including bacteria, plants, and mammals.<sup>[29]</sup> They have some connections with membrane proteins that belong to the family of major intrinsic proteins (MIP) and form pores in the membranes of biological cells.<sup>[30]</sup> More than ten different AQPs have been identified in the human body. All of these AQPs may be stimulated through Zamzam water. Ali et al.<sup>[30]</sup> studied the effect of Zamzam water on AQPs stimulation by using immunohistochemistry and endometrial biopsy in 50 healthy fertile females divided into two groups: group 1 with an intake of 500–750 c.c. of Zamzam water for one month, and group 2 with an intake of tap water. They found significant increase in endometrial AQPs (AQP2, AQP3, and AQP4) with expression of new AQPs (AQP7, AQP9, and AQP10) in Zamzam water. The results suggest that Zamzam water provides a defense against several diseases, such as congenital cataracts, nephrogenic problems, and diabetes. Such phenomenon was confirmed through various techniques including radioimmunoassay, nanotechnology, crystalline electro-microscopy, specific refractive index, number single oscillator, and optical parameters assay. All of these benefits are attributable to Abbe’s number of Zamzam water that is completely different from waters from other sources.<sup>[11,15,30,31]</sup>

### **Zamzam Water and Stimulation of Reproductive Systems**

Zamzam water was used in the treatment of implantation failure, for stimulation of endometrial prolactin,  $\alpha$  and  $\beta$  defensin, luteinizing hormone (LH), endometrial vascular endothelial growth factor (VEGF), and angiopoietin receptors.<sup>[32]</sup> Furthermore, Zamzam water cause upregulation of gap junctional inter-cellular communication and connexin 43 antibodies in endometrium. Recently, Ali et al.<sup>[32]</sup> demonstrated that Zamzam water stimulates stem cells’ differentiation in the endometrium. This phenomenon is triggered due to the high calcium and magnesium content of Zamzam. Also, the water provides more support to many other biochemical processes in the endometrium, including its vital role as coenzyme during the formation of immunoglobulin.<sup>[32,33]</sup> Zamzam stimulates the formation of implantation windows through stimulation of AQPs because it contains high contents of fluorides, contributing to its strong antimicrobial action. Zamzam water also acts as an antioxidant as it stimulates endometrial nitric oxide (NO). It also stimulates endometrial brain derived neurotrophic factor (BDNF). It is reported that Zamzam water

is a new modality for repeated failed intracytoplasmic sperm injection (ICSI). However, a large number of randomized studies are needed to test the efficacy of this new line of treatment.<sup>[32]</sup> Similarly, cervical insufficiency abortion can be controlled by Zamzam water, because it activates the autologous human peripheral blood mononuclear (PBM) cells that have a positive fetal effect and have no fetomaternal complications.<sup>[33]</sup>

### Zamzam Water and Dental Caries

A comparative study between Zamzam water and other sources of water on the prevalence of dental caries and their severity in school girls was carried out by Al-Zuhair and Khounganian.<sup>[34]</sup> Clinical examination revealed that, in the mixed dentition group, no statistical significant differences were detected, whereas among the permanent dentition group, the mean decayed, missing, filled teeth (DMFT) score was the lowest in all the children using Zamzam water. The possible reason for this significance is the higher level of fluorides in Zamzam water. The role of fluoride in the prevention of dental caries is very well established. Dean et al.<sup>[35]</sup> reported an inverse relationship between the prevalence of caries and drinking water with different fluoride levels, stating that exposure to water containing about 1 ppm fluoride in drinking water reduces caries experience by 50%, whereas fluoride levels higher than 1.5 ppm in temperate countries is known to cause dental fluorosis. A large number of studies have confirmed the beneficial effects of fluoride in drinking water.

### Zamzam Water and Cancer

Dietary guidelines around the world recommend increased consumption of plant foods to combat chronic diseases such as cancer, cardiovascular diseases, diabetes, and osteoporosis.<sup>[36]</sup> Zamzam water has unique oncolytic properties and has a strong anti-inflammatory effect. Zamzam water has a strong antitumor necrosis factor (TNF $\alpha$ ) and effect on interleukin I (IL1).<sup>[37]</sup> Zamzam water has oncolytic action through an indirect influence on endocrine immunology and the growth system of the body. Initially, it was observed in an experimental mice model.<sup>[38]</sup> To study the oncolytic action of Zamzam water, the experimental mice were injected with azoxymethane (AOM)<sup>[39]</sup> to induce a colon tumor. Biopsies were taken from the non-tumor tissue to prepare microarray data for differentially expressed genes. Experimental mice were fed with 500 cc Zamzam water daily for one month, and again a biopsy was taken after Zamzam water intake. A significant ( $P < 0.05$ ) reduction in the tumor size was observed that finally diminished in long-run study. One possible reason for the disappearance of the tumor is the biochemical nature of Zamzam water (Table 8). Zamzam water directly affects the populations of lymphocytes

**Table 8** Tumor size, lymphocytes number, and somatostatin before and after Zamzam water intake.<sup>[38]</sup>

	Before Zamzam water intake	After Zamzam water intake	<i>P</i> value
Tumor size	3.1	1.5	<0.05
Number of lymphocytes	101	688	<0.05
Serum somatostatin	3.3	18.2	<0.05


residing in the colon, which in turn affect tumor genesis by specific immune mechanisms, resulting in decreased tumor size.<sup>[38,40]</sup>

Ali et al.<sup>[41]</sup> carried out experiments with 100 healthy fertile females divided into two groups: group 1 with 500–750 cc Zamzam water for one month and group 2 with ordinary tap water. The study looked for three markers well known for their oncoprevention qualities: Bikunin, Lunasin, and Bowman Brikinhibitor. The results showed significant increase in all three inhibitors in the group with Zamzam water.


### Zamzam Water and Agriculture

Tap water is one of the essential factors for planting. Numerous investigations have focused mainly on the effects of water or drainage water on growth and yield of plants.


**Elemental Composition (ppm) of *Triticum vulgare***



**Elemental Composition (ppm) of *Vicia faba***



**Figure 7** Effect on irrigation with Zamzam, desalinated, and well water on elemental composition in *Triticum vulgare* and *Vicia faba*.<sup>[43]</sup> (Color figure available online.)



**Figure 8** Effect on irrigation with Zamzam, desalinated, and well water on total carbohydrates, total proteins, total lipids, and nitrogen composition in *Triticum vulgare* and *Vicia faba*.<sup>[43]</sup> (Color figure available online.)

The effects of water types on growth parameters of wheat and broad beans were investigated by an Egyptian group. They used Zamzam water alone, a combination of Zamzam water with tap water, Zamzam with treated water and tap water, treated water alone, and combinations of these two. The sole use of Zamzam water, or a combination of Zamzam, with either treated water or tap water resulted in pronounced increases in the percentage of seed germination, shoot length, and the fresh and dry weights of the shoots. Similarly, the percentage of flowers in broad bean plants watered with Zamzam was considerably higher in comparison with other water treatments.<sup>[42]</sup>

Physiological parameters and yields of *Vicia faba* L. and *Triticum vulgare* L. irrigated with Zamzam, desalinated, and “normal” well water were recently studied by Hamed et al.<sup>[43]</sup> They concluded that crops irrigated with Zamzam water gave the highest values of yield, soluble carbohydrates, total carbohydrates, protein, and total nitrogen contents. The normal well water recorded moderate results, while the desalinated water (as control) recorded the lowest values. The proximate composition of the two planted yields was given in Figs. 7 and 8. Similarly, Alsokari<sup>[44]</sup> found a positive effect on growth and protein content of lentil seedlings when irrigated with Zamzam water. Irrigation with Zamzam water increased the protein, RNA, DNA, and total phenolic and antioxidant contents in lentil seedlings.

## CONCLUSION

A lot of benefits of Zamzam have been elucidated by local folk, but little scientific exploration on the subject has taken place to date. However, studies involving human, plant,

and animal research have shown great potential benefits from Zamzam in fighting various human ailments and developed cancerous growth. Positive responses in affecting plant growth have also been demonstrated. This review confirms the balanced mineral and nutritional composition of Zamzam water. The unique mineral composition of Zamzam water ensures several nutraceutical and functional benefits that work in synergism with other agents to impart beneficial effects, or to thwart harmful effects. Comprehensive research is required to explore its unique properties and mysteries. Numerous health implications offer great opportunities for researchers to explore the relationship between Zamzam water's chemistry and its nutraceutical benefits.

## REFERENCES

1. Cazier, J.B.; Gekas, V. Water activity and its prediction: A review. *International Journal of Food Properties* **2001**, *4*, 35–43.
2. Vidyasagar, D. Global minute: Water and health—walking for water and water wars. *Journal Perinatol* **2007**, *27* (1), 56–58.
3. Bouman, B.; Tuong, T.P. Growing rice with less water, equivalent of two to three Olympic size water pools to grow one ton of rice. <http://www.iwmi.cgiar.org//assessment/FILES/pdf//publications/other/Issues.pdf> (accessed August 10, 2011).
4. Al-Gamal, S.A. Remarks on the isotopic composition of Holy Water of Zamzam, Mecca area. In *World Environment Magazine(we)*; World Environment Group; 2008; 19–22.
5. Holy Quran. Surah Ibrahim (14). Verse 37. <http://quran.com/14> (accessed September 11, 2011).
6. Ahmad, M.A.A.; Ibrahim, M.S. *The Water of Zamzam*; Dar Al Taqwa Ltd.: London, **1996**; 8–51.
7. SGS Zamzam. Saudi geological survey. <http://www.sgs.org.sa/English/Topics/Pages/Zamzam.aspx> (accessed September 15, 2011).
8. Al Azraqi, News of Mecca. 1141 A.H. **1728**.
9. Watson Consultant for the Ministry of Agriculture and Water. Riyadh, Saudi Arabia. **1971**.
10. Abu-Samn, R.H. A Scientific overview on Sacred Water of ZamzamWell: Some Qualitative Chemical and Biological Analysis. *Pakistan Journal of Scientific Research* **1982**, *34* (3–4), 7–12.
11. Naeem, N.; Alsanussi, H.; Almohandis, A. Multielemental and hydrochemical study of holy Zamzam water. *Journal of the New England Water Works Association* **1983**, *97* (2), 159–169.
12. Guéguen, L.; Pointillart, A. The bioavailability of dietary calcium. *Journal of the American College of Nutrition* **2000**, *19*, 119S–136S.
13. Alfadul, S.M.; Khan, M.A. Water quality of bottled water in the kingdom of Saudi Arabia: A comparative study with Riyadh municipal and Zamzam water. *Journal of Environmental Science and Health Part A* **2011**, *46* (13), 1519–1528.
14. Saad, B.; Pok, F.W.; Sujari, A.N.A.; Saleh, M.I. Analysis of anions and cations in drinking water samples by capillary ion analysis. *Food Chemistry* **1998**, *61* (1/2), 249–254.
15. El-Zaiat, S.Y. Inherent optical properties of Zamzam water in the visible spectrum: dispersion analysis. *The Arabian Journal for Science and Engineering* **2007**, *32* (2A), 171–180.
16. Yurtsever, Y.; Buapeng, S. Compartmental modelling approach for simulation of spatial isotopic variations in the study of groundwater dynamics, A case study of a multi-aquifer system in the Bangkok Basin, Thailand. IAEA: Vienna, 1991.
17. Rognon, P.; Williams, M.A.J. Late quaternary climatic changes in Australia and North Africa: A preliminary interpretation. *Palaeogeography, Palaeoclimatology, Palaeoecology* **1977**, *21* (4), 285–327.
18. Alam, M.N.; Chowdhury, M.I.; Kamal, M.; Ghose, S.; Islam, M.N.; Anwaruddin, M. Radiological assessment of drinking water of the Chittagong region of Bangladesh. *Radical Protection Dosimetry* **1999**, *82* (3), 207–214.
19. UNSCEAR, United Nations Scientific Committee on the Effects of Atomic Radiation. Sources and Effects of Ionizing Radiations. Report to the General Assembly; New York, United Nations. **1988**.

20. US EPA. Code of Federal Regulations 40 Part 141. National Primary Drinking Water Regulation, U.S.A. **1986**.
21. Higuchi, H. The Analysis of radium in the environmental samples, *Radioisotopes* **1981**, *30*, 618.
22. NCRP. National Bureau of Standards. *Handbook No 52*; National Committee on Radiation Protection, USA, **1954**.
23. Radin, D.; Hayssen, G.; Masaru, E.; Kizu, T. Double-blind test of the effects of distant intention on water crystal formation. *Explore: The Journal Science and Healing* **2006**, *2* (5), 408–411.
24. Stagnaro, S. Quantum biophysical semeiotics evidences of water-memory-information by means of music energizing action: Caramel's experiment. *Journal of Quantum Biophysical Semeiotics* [http://www.sisbq.org/uploads/5/6/8/7/5687930/wmi\\_music\\_2011.pdf](http://www.sisbq.org/uploads/5/6/8/7/5687930/wmi_music_2011.pdf) (accessed November 25, 2011).
25. Stagnaro, S.; Caramel, S. Two prayer experiment: The effectiveness of different kinds of prayers through QBS assessment. *Journal of Quantum Biophysical Semeiotics* [http://www.sisbq.org/uploads/5/6/8/7/5687930/twoprayers\\_2011.pdf](http://www.sisbq.org/uploads/5/6/8/7/5687930/twoprayers_2011.pdf) (accessed November 25, 2011).
26. Emoto, M. *Love Thyself: Message from water*. Vol. 3.50–51. HADO: Kyoikusha, Tokyo, 2004.
27. Arida, H.; Mohsen, Q.; Schöning, M. Microfabrication, characterization and analytical application of a new thin-film silver microsensor. *Electrochimica Acta* **2009**, *54*, 3543–3547.
28. He, R.H.; Sheng, J.Z.; Luo, Q.; Jin, F.; Wang, B.; Qian, Y.L.; Zhou, C.Y.; Sheng, X.; Huang, H.F. Aquaporin-2 expression in human endometrium correlates with serum ovarian steroid hormones. *Life Sciences* **2006**, *79* (5), 423–429.
29. Agre, P. The aquaporin water channels. *Proceedings of the American Toracic Society* **2006**, *3*(1): 5–13.
30. Ali, A.F.M.; Cosemi, E.; Kamel, S.; Mohammed, S.; Elhefnawy, M.; Farid, L.; Shaker, S. Miracle of Zamzam water: the effect on human endometrial aquaporin. In: *13<sup>th</sup> International Water Technology Conference, IWTC: Hurghada, Egypt, 2009*; 1515–1520.
31. El-Kashef, H. Optical and electrical properties of materials. *Review of Scientific Instruments* **1994**, *65* (6), 2056–2061.
32. Ali, A.F.M.; Hassain, M.; El Hosani, A. Zamzam water a new modality for failed repeated intra cytoplasmic sperm injection. In: *13<sup>th</sup> International Water Technology Conference, IWTC: Hurghada, Egypt, 2009*, 1557–1560.
33. Ali, A.F.M.; Rafik, M.; Ali, S.M.; Hussein, M.; Hassan, A.; El Hussein, A.; Farid, L. Treatment of cervical insufficiency abortion by Zamzam water activated autologous human peripheral blood mononuclear cell, modern trend. In: *13<sup>th</sup> International Water Technology Conference, IWTC: Hurghada, Egypt, 2009*. 1533–1541.
34. Al-Zuhair, N.A.; Khounganian, R. A comparative study between the chemical composition of potable water and Zamzam water and its effect on tooth structure in Saudi Arabia. *Saudi Dental Journal* **2006**, *18* (SI), Abst. 071.
35. Dean, H.T.; Arnold, F.A.; Evolve, E. Domestic water and dental caries, V. Additional studies of the relation of fluoride of domestic water to dental caries experience in 4425 white children aged 12-14 years, of 13 cities in 4 states. *Public Health Reports* **1942**, *57*, 1155–1179.
36. Rao, A.V.; Ali, A. Biologically active phytochemicals in human health: Lycopene. *International Journal of Food Properties* **2007**, *10* (2), 279–288.
37. Ali, A.F.M.; Cosemi, E.; Kamel, S.; Mohammed, S.; Elhefnawy, M.; Farid, L.; Shaker, S. Zamzam water gene downregulation in uterine Fibrochondrosarcoma cell line. In: *13<sup>th</sup> International Water Technology Conference, IWTC: Hurghada, Egypt, 2009*. 1543–1547.
38. Ali, A.F.M.; Cosemi, E.; Kamel, S.; Mohammed, S.; Elhefnawy, M.; Farid, L.; Shaker, S. Oncolytic action of Zamzam water on azoxymethone (AOM) induced colon tumors in rats. In: *13<sup>th</sup> International Water Technology Conference, IWTC: Hurghada, Egypt, 2009*. 1521–1526.
39. Hakkak, R.; Korourian, S.; Ronis, M.J.; Johnston, J.M.; Badger, T.M. Soy protein isolate consumption protects against azoxymethane-induced colon tumors in male rats. *Cancer Letters* **2001**, *166*, 27–32.

40. Pitcher, L.A.; Van Oers, N.S. T cell receptor signal transmission: Who gives an ITAM. *Trends in Immunology* **2003**, *24*, 554–560.
41. Ali, A.F.M.; Cosemi, E.; Kamel, S.; Mohammed, S.; Elhefnawy, M.; Farid, L.; Shaker, S. Zamzam Water Oncopreventive Action. In: *13<sup>th</sup> International Water Technology Conference*, IWTC: Hurgada, Egypt, **2009**. 1527–1532.
42. Mutwally, H.M.A.; Omar, S.A.M.; Bedaiwy, M. Effect of water types on some growth parameters of wheat and broad bean plants under Al-Baha, KSA environmental condition. [http://uqu.edu.sa/files2/tiny\\_mce/plugins/filemanager/files/31/08\\_Effect\\_of\\_Water\\_Types\\_on\\_Some\\_Growth\\_Parameters\\_of\\_Wheat\\_and\\_Broad\\_Bean\\_Plants.pdf](http://uqu.edu.sa/files2/tiny_mce/plugins/filemanager/files/31/08_Effect_of_Water_Types_on_Some_Growth_Parameters_of_Wheat_and_Broad_Bean_Plants.pdf) (accessed September 10, 2011).
43. Hamed, B.A.; Mutwally, H.M.A.; Omar, S.A.M. Some physiological parameters of the yields of *Vicia faba* L and *Triticum vulgare* L irrigated with Zamzam, desalinized and well water. *World Journal of Agricultural Sciences* **2009**, *5* (4), 480–486.
44. Alsokari, S.S. Zamzam water-induced changes in growth and biochemical parameters in lentils. *Australian Journal of Basic and Applied Sciences* **2011**, *5* (9), 559–563.
45. Abdul Manan, Y.; Muhammad, H.Y.; King, J., Abdul Aziz University **1975**, 461.
46. Saudi Arabian Standards Organization (SASO). Bottled and unbottled drinking water. Standard No. 409, 1994.
47. U.S. Food and Drug Administration (FDA). 21 CFR part 165: Beverages: Bottled water. 2008, <http://www.cfsan.fda.gov/~Ird/fr050609.html>.
48. WHO, Guidelines for drinking-water quality, 4th Ed., Annex 4. World Health Organization: Geneva, 2006.
49. International Bottled Water Association (IBWA). Bottled water code of practice. Alexandria, VA: IBWA. 2008. <http://bottledwater.org/public/modelmain.htm>.
50. U.S. Environmental Protection Agency (US EPA). National primary drinking water regulations. 2011. <http://www.epa.gov/safewater/mcl.html>